SOUTH GRAND

WATERSHED INVENTORY AND ASSESSMENT

Prepared By: Thomas F. Wilkerson Jr.

Fisheries Biologist

Missouri Department of Conservation

West Plains, Missouri

June, 2004

For Additional Information Contact:

Ozark Regional Fisheries Biologists at

551 Joe Jones Blvd, West Plains, MO 65775

ACKNOWLEDGEMENTS

We would like to express our thanks to those individuals that contributed their time and effort to various aspects of this document. These persons include Mike Bayless, Ron Dent, Joe Bonneau, Todd Gemeinhardt, Bob Mattucks, Jeremy Russell, Alex Schubert, and Kevin Sullivan. In addition several individuals contributed to the review process. These persons include Robert DiStefano, Pam Lanigan, Monte McQuillen, Bill Turner, and members of the MDC Kansas City Region RCT. Thanks to these, and any other previously unmentioned contributors.

EXECUTIVE SUMMARY

The South Grand River Watershed occupies a land area of approximately 2,046 square miles in portions of 8 counties in Missouri and 2 Counties in Kansas. These counties include Bates, Benton, Cass, Henry, Jackson, Johnson, Pettis, and St.Clair Counties in Missouri and Johnson and Miami in Kansas. Most of the watershed (98.5%) lies within Missouri. The watershed is bounded to the West and Southwest by the Maries des Cygnes Watershed and to the South and East by the Upper Osage Watershed both of which have been combined as the West Osage Basin in the West Osage Basin Inventory and Management Plan. The Lamine and Blackwater Watersheds border the South Grand on the northeast side while the Missouri River Mainstem Drainage borders the watershed to the north.

The South Grand River is formed by the confluence of Massey Creek and East Creek approximately 5 miles southwest of Peculiar, Missouri. From its beginnings the river flows in a southeasterly direction for approximately 28 miles before turning to flow East for another 16 miles. It once again turns to a southeasterly direction and continues for another 9 miles before receiving the flow of Big Creek, the largest tributary to the South Grand. From this point, the South Grand continues in a general southeast direction for approximately 14 miles before emptying into Harry S. Truman Reservoir near Clinton, Missouri. The South Grand Watershed has 13 cities and towns with populations exceeding 1,000 persons within or partially within its boundary. These included Adrian, Belton,

Clinton, Garden City, Greenwood, Harrisonville, Holden, Kansas City, Lee's Summit, Peculiar, Pleasant Hill, Raymore, and Windsor. All of these are within Missouri.

The South Grand Watershed lies within the Osage Plains Subdivision of the Central Lowland Physiographic Region. The Osage Plains Subdivision is comprised of gently rolling plains with scattered escarpments, low mounds and a low relative relief of 50-150 feet. The Osage Plains were not glaciated, unlike much of the Central Lowlands Physiographic Region. Elevations within the South Grand Watershed range from a maximum of approximately 1,154 feet msl in the uplands to approximately 682 feet in the lower portions of the watershed. South Grand Watershed occurs primarily within the Cherokee Prairies Soil Region. Eleven soil associations occur within the watershed.

The geology of the South Grand Watershed consists primarily of limestone and sandstone of Pennsylvanian age. Upland portions of the watershed are overlain by up to six feet of loess. Pennsylvanian aged clay also occurs in smaller, more isolated areas of the watershed. In the lower portion of the watershed, Mississippian limestone, limestone shale, and Ordovician dolomite are present. The presence of barriers to groundwater infiltration such as clay and shale within the Pennsylvanian bedrock as well as the limited storage capacity of the bedrock in the area have resulted in very few springs as well as poorly sustained stream baseflows in dry periods.

There are 186 third order and larger streams within the watershed. The South Grand is 66.4 miles long and becomes seventh order at the confluence of Big Cr.

Total drainage area of the South Grand Watershed is 2,046 square miles or 1,309,440 acres. The drainage area of the watershed in Missouri is 2,016 square miles or 1,290,240 acres. In order to facilitate analysis of various watershed characteristics within this document, the watershed was divided based on eleven digit hydrologic units. The largest of these units is the Middle South Grand Unit which drains approximately 418 square miles (267,449 acres).

Channel gradient was determined for all fourth order and larger streams within the South Grand Watershed using data digitized from USGS 7.5 minute topographic maps. The South Grand River has an average gradient of 1.9 feet/mile.

Historical land cover within the uplands of the South Grand Watershed primarily consisted of prairie with oak savannas and open oak woodlands in the more dissected areas along and near streams. In the portion of the watershed which is now in the area of lower Truman Reservoir, a landscape more typical of the Ozarks was present. The uplands were dominated by oak savanna and open oak woodlands. Scattered dolomite and sandstone glades as well as occasional prairie openings were also originally present in this area. Analysis of recent land cover data reveals that approximately 52.2% of the South Grand Watershed today is grassland. Crop land is the second most prevalent land cover accounting for approximately 26.5% of the total watershed area, while forest is third at 18.2%. The land cover categories of wetland and water each account for approximately 0.1% and 2.7% respectively.

The 2000 human population within the South Grand Watershed was estimated to be 110,855 persons. Population density in 2000 was approximately 54 persons per square mile as compared to the overall population density for Missouri which was approximately 81 persons per square mile.

Average annual precipitation within the South Grand Watershed is approximately 41.0 inches. The United States Geological Survey (USGS) currently (2002) has two active surface discharge gaging stations within the South Grand Watershed. The annual daily mean discharge of the South Grand River near Clinton is 1,329 cubic feet per second (cfs).

Many streams within the South Grand Watershed suffer from water quality problems. Eight streams and 2 reservoirs are included in the 1998 303d listing of impaired waters. Most streams on the impaired list have impacts related to coal mining activities in the watershed. There are additional streams in the watershed not included on the list, but which are impacted to some degree by channel alteration, sedimentation, and pollutants associated with runoff from agricultural land. Thirty one water pollution incidents have been investigated in the South Grand Watershed since 1990. Fourteen of the 31 incidents resulted in fish kills. Half of the fish kills were associated with discharges from

sewage treatment facilities.

Several streams within of the South Grand Watershed, including the South Grand River and Big Creek, are highly altered. Extensive channelization an leveeying has occurred on large portions of these streams as well as in some other areas. Inundation by Truman Reservoir has eliminated or impacted many stream miles in the lower portion of the watershed including 39% of the original South Grand River. Estimates based on National Wetlands Inventory data reveal that 469 diked and/or impounded waters also occur within the South Grand watershed. Riparian corridor land cover within the South Grand Watershed consists of more grassland/cropland (60.4%) than forest/wetland (37.5%). The riparian corridor of the South Grand River does not reflect the overall riparian land cover of the watershed. Estimated combined forest and wetland for the river is 70.3% and 20.5% for combined grassland and cropland.

Sixty fish species in 15 families have been recorded in the South Grand Watershed since 1940. Thirteen species comprise the game fisheries of the watershed. These include spotted bass, largemouth bass, white crappie, black crappie, blue catfish, channel catfish, flathead catfish, white bass, striped bass, walleye, and paddlefish. In addition, 15 species of mussels, 9 species of snails, two species of crayfish, and 183 taxa of benthic invertebrates as well as 22 specie of concern have been recorded in the watershed.

The management goals, objectives, and strategies for the South Grand Watershed were developed using information collected from the South Grand Watershed Inventory and Assessment (WIA) and direction provided by the Missouri Department of Conservation (MDC) West Central Regional Management Guidelines (1998), Kansas City Regional Management Guidelines 1999, Missouri Department of Conservation Strategic Plan, and the Fisheries Division Five Year Strategic Plan. Objectives and strategies were written for riparian and aquatic habitat, water quality, aquatic biota, and promotion of public awareness and use. All goals are of equal importance. These goals include (1) protect and improve riparian and aquatic habitats in the South Grand Watershed, (2) Protect and improve water quality in the South Grand Watershed, (3) Maintain the abundance, diversity, and distribution of aquatic biota at or above current levels while improving the quality of the game fishery in the South Grand Watershed, and (4) increase public awareness and promote wise use of aquatic resources in the South Grand Watershed.



All information may be reached from the Table of Contents or from the chapter links at the bottom of the following pages:

GEOLOGY

WATER QUALITY AND USE

Physiographic Region

Soils

Geology

Stream Order, Mileage, and Permanency

Drainage Area

Stream Channel Gradient

Beneficial Use Attainment

Chemical and Biological Water Quality of Streamflow

Point Source Pollution

Non-Point Source Pollution

Water Pollution and Fish Kill Investigations

Unified Watershed Assessment

Water Use

Recreational Use

LAND USE

Historical Land Cover/Land Use

HABITAT CONDITIONS

Ecological Classification Dam and Levees
Current Land Cover Channel Alterations

Soil and Water Conservation Projects Logjams

Public Land Natural Features

Improvement Projects

HYDROLOGY Stream Habitat Assessment

Precipitation

United States Geological Survey Gage Stations

BIOTIC COMMUNITY

Daily Mean Discharge Statistics Fish Community

Flow Duration Game Fish

10:90 Ratio Fish Introductions

Instantaneous Discharge Mussels 7-day Q2,10, and 20 Low Flow & Slope Indices Snails

Flood Frequency Crayfish

Benthic Invertebrates

LOCATION Species of Conservation Concern

MANAGEMENT PROBLEMS LITERATURE CITED

ANGLER GUIDE RELATED INFORMATION

PRINT HARD COPY GLOSSARY

LIST OF TABLES LIST OF FIGURES

LIST OF FIGURES

BIOTIC

- Figure Bc01. Fish Community Sample Sites
- Figure Bc02. Biotic Community Sample Sites

GEOLOGY

- Figure Ge01. Geology
- Figure Ge02. Example of Stream Order
- Figure Ge03-07. Third Order and Larger Streams
- Figure Ge08. Subwatersheds and Hydrologic Units
- Figure Ge09. Gradient Plot for Tributaries of Upper Truman Reservoir
- Figure Ge10. Gradient Plot for Tebo Creek & Major Tributaries
- Figure Ge11. Gradient Plot for Sand Creek & Major Tributary
- Figure Ge12. Gradient Plot for Deepwater Creek & Major Tributary
- Figure Ge13. Gradient Plot for South Deepwater Creek & Major Tributary
- Figure Ge14. Gradient Plot for Lower South Grand & Major Tributaries
- Figure Ge15. Gradient Plot for Upper South Grand & Major Tributaries
- Figure Ge16. Gradient Plot for Big Creek & Major Tributaries
- Figure Ge17. Gradient Plot for Honey Creek & Major Tributary
- Figure Ge18. Gradient Plot for Camp Branch & Major Tributary
- Figure Ge19. Gradient Plot for Crawford Creek (old channel) & Major Tributary
- Figure Ge20. Gradient Plot for Crawford Creek (new channel) & Major Tributary
- Figure Ge21. Gradient Plot for Middle Big Creek & Major Tributary
- Figure Ge22. Gradient Plot for East Branch South Grand & Major Tributary
- Figure Ge23. Gradient Plot for Big Creek & Major Tributaries

HABITAT COMMUNITY

- Figure Hc01. Impoundments and Channel Alterations
- Figure Hc02. Eleven Digit Hydrologic Unit

HYDROLOGY

- Figure Hy01. Precipitation and Gage Stations
- Figure Hy02. (a) Estimated mean annual precipitation amounts and (b) mean monthly precipitation amounts in the South Grand Watershed for years 1915-1994 based on analysis of Easterling et al. (1995)
- Figure Hy03. Annual mean daily discharge and trend (in red) for selected USGS gage stations within the South Grand Watershed (USGS 2002c).
- Figure Hy04. Monthly mean daily discharge at selected USGS Gage Stations within the South Grand Watershed (USGS 2000b).
- Figure Hy05. Flow duration curves for selected USGS gage stations with varying periods of record within the South Grand River Watershed (USGS 2000c).
- Figure Hy06. Flow duration changes between two time periods (1923-

LAND USE

- Figure Lu01. Pre-Settlement Prairie
- Figure Lu02. Historical estimates of harvested acres of major grain crops in Bates, Cass, and Henry Counties in Missouri (MASS 2002).
- Figure Lu03. Cattle and hog population trends for Bates, Cass, and Henry Counties in Missouri (MASS 2000).
- Figure Lu04. Human population trends for counties intersecting the South Grand Watershed (OSEDA 1998). Percent overall population change given in parenthesis.
- Figure Lu05. Population Distribution
- Figure Lu06. Ecological Classification System
- Figure Lu07. Land Cover
- Figure Lu08. Eleven Digit Hydrologic Unit Land Cover
- Figure Lu09. Soil and Water Conservation Projects
- Figure Lu10. Public Land
- Figure Lu11. Eleven Digit Hydrologic Unit Land Ownership

LOCATION

Figure Bk01. Location

Figure Bk02. Transportation

MANAGEMENT PROBLEMS

Figure Mp01. Priority Ranking

WATER QUALITY

Figure Wq01. Water Quality

Figure Wq02. Relative comparison of total Phosphorus and fecal coliform levels at USGS Station 06921881 (South Grand River at Grand River Church) for the period 1998-2000

Figure Wq03. Point Source Discharges and CAFOs

Figure Wq04. Pesticide Use

Figure Wq05. Surface Public Drinking Water Supply

LIST OF TABLES

BIOTIC COMMUNITY

- Table Bc01. Fish species whose distribution range includes the South Grand Watershed.
- Table Bc02. Fish species stocked in public waters within the South Grand Watershed in Missouri between 1991 and 2001.
- Table Bc03. Mussel species found historically within the South Grand Watershed in Missouri.
- Table Bc04. Benthic invertebrate taxa of the South Grand Watershed.
- Table Bc05. Species of conservation concern within the South Grand Watershed in Missouri.

GEOLOGY

- Table Ge01. Third order and larger streams of the South Grand Watershed.
- Table Ge02. Stream length for order and total length for fourth order and larger streams in the South Grand Watershed.

HABITAT CONDITIONS

- Table Hc01. Inventoried natural communities within the South Grand Watershed
- Table Hc02. Percent riparian corridor land cover for eleven digit hydrologic units within the South Grand Watershed.
- Table Hc03. Percent riparian corridor land cover for fourth order and larger streams within the South Grand Watershed.

HYDROLOGY

- Table Hy01. United States Geological Survey (USGS) surface discharge gage stations within the South Grand Watershed.
- Table Hy02. Discharge statistics for selected USGS discharge gage stations within the South Grand Watershed.
- Table Hy03. Comparison of 10:90 ratios from the South Grand River as well as selected neighboring watersheds and other watersheds within Missouri.
- Table Hy04. Low flow calculations for USGS Surface Discharge stations within South Grand Watershed.
- Table Hy05. Two to 100 year flood discharges (cubic feet per second) for selected USGS Gage Stations within the South Grand Watershed.

LAND USE

- Table Lu01. Population projections from 1990 to 2020 for counties intersecting the South Grand Watershed.
- Table Lu02. Descriptions of land type association (lta) groups as well as a condensed description of the 11 LTAs within the South Grand Watershed.
- Table Lu03. Percent land cover for eleven digit hydrologic units within the South Grand Watershed.
- Table Lu04. Public lands within the South Grand Watershed.
- Table Lu05. Percentages of state and federal land ownership within eleven digit hydrologic units of the South Grand Watershed.

WATER QUALITY

- Table Wq01. Missouri Department of Natural Resources (MDNR) use designations for selected streams and impoundments within the South Grand Watershed.
- Table Wq02. South Grand Watershed impaired streams and reservoirs included in the 1998 303d list of Missouri.
- Table Wq03. Water quality data for selected stations and parameters within the South Grand Watershed.
- Table Wq04. Municipal and non-municipal waste water and water treatment facilities within the South Grand Watershed in Missouri.
- Table Wq05. Concentrated animal feeding operations permitted within the South Grand Watershed in Missouri between 1988 and 1998.
- Table Wq06. Fish kill and water pollution impacts investigated within the South Grand Watershed in Missouri.
- Table Wq07. Water withdrawals by use category within the South Grand Watershed in 1995.
- Table Wq08. Major water users within the South Grand Watershed in Missouri.